

=> b hcaplus

FILE 'HCAPLUS' ENTERED AT 13:06:08 ON 16 AUG 2004

USE IS SUBJECT TO THE TERMS OF YOUR STN CUSTOMER AGREEMENT.

PLEASE SEE "HELP USAGETERMS" FOR DETAILS.

COPYRIGHT (C) 2004 AMERICAN CHEMICAL SOCIETY (ACS)

Copyright of the articles to which records in this database refer is held by the publishers listed in the PUBLISHER (PB) field (available for records published or updated in Chemical Abstracts after December 26, 1996), unless otherwise indicated in the original publications. The CA Lexicon is the copyrighted intellectual property of the American Chemical Society and is provided to assist you in searching databases on STN. Any dissemination, distribution, copying, or storing of this information, without the prior written consent of CAS, is strictly prohibited.

FILE COVERS 1907 - 16 Aug 2004 VOL 141 ISS 8


FILE LAST UPDATED: 15 Aug 2004 (20040815/ED)

This file contains CAS Registry Numbers for easy and accurate substance identification.

'OBI' IS DEFAULT SEARCH FIELD FOR 'HCAPLUS' FILE

=> d que 135

L17 STR



REP G1=(0-6) A

VAR G2=C/N

REP G3=(0-6) A

VPA 22-7/8 U

NODE ATTRIBUTES:

Searched by P. Ruppel

CONNECT IS M2 RC AT 16
 CONNECT IS M2 RC AT 17
 CONNECT IS M2 RC AT 18
 DEFAULT MLEVEL IS ATOM
 DEFAULT ECLEVEL IS LIMITED

GRAPH ATTRIBUTES:


RSPEC 31

NUMBER OF NODES IS 35

STEREO ATTRIBUTES: NONE

L23 270 SEA FILE=REGISTRY SSS FUL L17

L31 STR



REP G1=(0-6) A

VAR G2=C/N

REP G3=(0-6) A

VPA 22-7/8 U

NODE ATTRIBUTES:

CONNECT IS M2 RC AT 16

CONNECT IS M2 RC AT 17

CONNECT IS M2 RC AT 18

DEFAULT MLEVEL IS ATOM

GGCAT IS MCY AT 35

DEFAULT ECLEVEL IS LIMITED

ECOUNT IS M3-X10 C AT 35

GRAPH ATTRIBUTES:

RSPEC 31

NUMBER OF NODES IS 35

STEREO ATTRIBUTES: NONE


L33 218 SEA FILE=REGISTRY SSS FUL L31

L34 52 SEA FILE=REGISTRY ABB=ON PLU=ON L23 NOT L33
 L35 3 SEA FILE=HCAPLUS ABB=ON PLU=ON L34

=> d ibib abs hitstr l35 1-3

L35 ANSWER 1 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN
 ACCESSION NUMBER: 2003:396877 HCAPLUS
 DOCUMENT NUMBER: 138:401769
 TITLE: Preparation of [1-[3-(indol-3-yl)propanoyl]-1,2,3,4-tetrahydroquinolin-3-ylmethyl]amine derivatives as somatostatin receptor binding inhibitors
 INVENTOR(S): Abe, Hidenori; Kasai, Shizuo; Takekawa, Shiro; Watanabe, Masanori
 PATENT ASSIGNEE(S): Takeda Chemical Industries, Ltd., Japan
 SOURCE: PCT Int. Appl., 191 pp.
 CODEN: PIXXD2
 DOCUMENT TYPE: Patent
 LANGUAGE: Japanese
 FAMILY ACC. NUM. COUNT: 1
 PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 2003042204	A1	20030522	WO 2002-JP10800	20021017
W: AE, AG, AL, AM, AT, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CH, CN, CO, CR, CU, CZ, DE, DK, DM, DZ, EC, EE, ES, FI, GB, GD, GE, GH, GM, HR, HU, ID, IL, IN, IS, JP, KE, KG, KR, KZ, LC, LK, LR, LS, LT, LU, LV, MA, MD, MG, MK, MN, MW, MX, MZ, NO, NZ, OM, PH, PL, PT, RO, RU, SD, SE, SG, SI, SK, SL, TJ, TM, TN, TR, TT, TZ, UA, UG, US, UZ, VC, VN, YU, ZA, ZM, ZW, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZM, ZW, AT, BE, BG, CH, CY, CZ, DE, DK, EE, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, SK, TR, BF, BJ, CF, CG, CI, CM, GA, GN, GQ, GW, ML, MR, NE, SN, TD, TG				
JP 2003192682	A2	20030709	JP 2002-303222	20021017
EP 1437351	A1	20040714	EP 2002-775363	20021017
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, SI, LT, LV, FI, RO, MK, CY, AL, TR, BG, CZ, EE, SK				
PRIORITY APPLN. INFO.:			JP 2001-322897	A 20011019
			WO 2002-JP10800	W 20021017
OTHER SOURCE(S):		MARPAT 138:401769		
GI				



I

AB The title compds. represented by the formula (I) (wherein X and X1 are the same or different and each represents H, halo, or (un)substituted NH₂; R1 and R2 are the same or different and each represents H or (un)substituted C1-6 alkyl; or NR₁R₂ forms (un)substituted N-containing heterocyclic ring; R3 represents an each optionally substituted hydrocarbon group or heterocyclyl; R4 represents H or an each optionally substituted hydrocarbon group or heterocyclyl; Y and Ya are the same or different and each represents a bond or a spacer having a C1-8 main chain; and Z and Za are the same or different and each represents H, halo, or (un)substituted cyclic group), salts of the compds., or prodrugs of either are prepared. They have inhibitory activity against somatostatin receptor, in particular somatostatin receptor subtype 2 binding and are agonists of somatostatin receptor and effective in the prevention of and treatment for diseases in which somatostatin participates, in particular diabetes or diabetes complications. Thus, a solution of 2.6 g (2RS,3SR)-2-[[[(9H-fluoren-9-ylmethoxy)carbonyl]amino]-3-(1H-indol-3-yl)butanoic acid and 0.06 mL DMF in 60 mL THF was treated dropwise with a solution of 0.63 mL oxalyl chloride in 5 mL THF at 0°, stirred at 0° for 30 min, concentrated, treated with 30 mL THF, and reconcd., dissolved in 30 mL THF, added dropwise at 0° to a solution of 1-[(3S)-6-chloro-1,2,3,4-tetrahydroquinolin-3-yl]-N,N-dimethylmethanamine 0.90 g, tetrabutylammonium hydrogen sulfate 0.04 g, and NaOH powder 0.34 g, stirred at 0° for 30 min to give, after workup and silica gel chromatog., a yellow amorphous solid which was stirred with 0.2 mL piperidine in 20 mL methanol at room temperature for 16 h

to

give, after alumina chromatog., 49% (2RS,3SR)-1-[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-3-(1H-indol-3-yl)-1-oxo-2-butanamine (II; R = H). WSC (0.10 g) was added to a solution of II 0.20, 1-[(1-methyl-1H-indol-2-yl)carbonyl]-4-piperidinecarboxylic acid 0.15 g, and HOBt 0.08 g in 10 mL MeCN, stirred at room temperature for 16 h to give, after workup and silica gel chromatog., 64% II (R = Q). II (R = Q1) in vitro inhibited the binding of ¹²⁵I-somatostatin-14 to human somatostatin receptor protein subtype 2, 3, and 5 with showed IC₅₀ of 0.05, 3, and 10, resp. A tablet formulation containing II (R = H) was described.

IT 528857-60-5P 528857-61-6P 528857-62-7P
528857-63-8P 528859-47-4P 528859-95-2P
528860-04-0P 528860-07-3P

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)


(preparation of [(indolylpropanoyl)tetrahydroquinolinyl]methylamine derivs. as somatostatin receptor binding inhibitors (agonists) for

prevention or treatment of diabetes or diabetes complications)

RN 528857-60-5 HCAPLUS

CN 4-Piperidinecarboxamide, N-[1-[[[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]carbonyl]-2-(1H-indol-3-yl)propyl]-1-[(1-methyl-1H-indol-2-yl)carbonyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 528857-61-6 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1R,2S)-1-[[[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]carbonyl]-2-(1H-indol-3-yl)propyl]-1-[(1-methyl-1H-indol-2-yl)carbonyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 528857-62-7 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1S,2R)-1-[[[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]carbonyl]-2-(1H-indol-3-yl)propyl]-1-[(1-methyl-1H-indol-2-yl)carbonyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 528857-63-8 HCAPLUS

CN 4-Piperidinecarboxamide, N-[1-[[[(3S)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]carbonyl]-2-(1H-indol-3-yl)propyl]-1-[(1-methyl-1H-indol-2-yl)carbonyl]- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



RN 528859-47-4 HCAPLUS


CN 1-Piperidinecarboxamide, N-[1-[[[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]carbonyl]-2-(1H-indol-3-yl)propyl]-4-(1-pyrrolidinyl)-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 528859-46-3

CMF C34 H45 Cl N6 O2


Absolute stereochemistry.



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 528859-95-2 HCAPLUS


CN 1-Piperazinecarboxamide, N-[1-[[[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]carbonyl]-2-(1H-indol-3-yl)propyl]-4-(2-pyridinyl)-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 528859-94-1

CMF C34 H40 Cl N7 O2


Absolute stereochemistry.



CM 2

CRN 76-05-1

CMF C2 H F3 O2



RN 528860-04-0 HCAPLUS


CN [1,4'-Bipiperidine]-1'-carboxamide, N-[1-[[1-[[1-(4-pyridyl)piperidin-4-yl]carbamoyl]-2-(1H-indol-3-yl)propyl]-3,4-dihydro-1(2H)-quinolin-1-yl]carbamoyl]-2-(1H-indol-3-yl)propyl]-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 528860-03-9


CMF C35 H47 Cl N6 O2

Absolute stereochemistry.



CM 2

CRN 76-05-1
 CMF C2 H F3 O2




RN 528860-07-3 HCAPLUS
 CN 1-Piperazinecarboxamide, N-[1-[[[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]carbonyl]-2-(1H-indol-3-yl)propyl]-4-(2-pyrimidinyl)-, bis(trifluoroacetate) (9CI) (CA INDEX NAME)

CM 1

CRN 528860-06-2
 CMF C33 H39 Cl N8 O2


Absolute stereochemistry.



CM 2

CRN 76-05-1

CMF C2 H F3 O2



REFERENCE COUNT: 10 THERE ARE 10 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L35 ANSWER 2 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 2001:265411 HCAPLUS

DOCUMENT NUMBER: 134:295840

TITLE: Preparation of indolylpropanoyltetrahydroquinoline derivatives which inhibit binding of somatostatin receptors

INVENTOR(S): Kato, Kaneyoshi; Terauchi, Jun; Suzuki, Nobuhiro; Takekawa, Shiro

PATENT ASSIGNEE(S): Tadeka Chemical Industries, Ltd., Japan

SOURCE: PCT Int. Appl., 220 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: Japanese

FAMILY ACC. NUM. COUNT: 1


PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
------------	------	------	-----------------	------

Searched by P. Ruppel

This work

 WO 2001025228 A1 20010412 WO 2000-JP6937 20001005
 W: AE, AG, AL, AM, AU, AZ, BA, BB, BG, BR, BY, BZ, CA, CN, CR, CU,
 CZ, DM, DZ, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ,
 LC, LK, LR, LT, LV, MA, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU,
 SG, SI, SK, TJ, TM, TR, TT, UA, US, UZ, VN, YU, ZA, AM, AZ, BY,
 KG, KZ, MD, RU, TJ, TM
 RW: GH, GM, KE, LS, MW, MZ, SD, SL, SZ, TZ, UG, ZW, AT, BE, CH, CY,
 DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ,
 CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG
 AU 2000075568 A5 20010510 AU 2000-75568 20001005
 JP 2002088079 A2 20020327 JP 2000-311723 20001005
 EP 1227090 A1 20020731 EP 2000-964676 20001005
 R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT,
 IE, SI, LT, LV, FI, RO, MK, CY, AL
 PRIORITY APPLN. INFO.: JP 1999-286939 A 19991007
 JP 2000-215837 A 20000711
 WO 2000-JP6937 W 20001005
 OTHER SOURCE(S): MARPAT 134:295840
 GI



AB The title compds. I [X and X' are the same or different and each represents hydrogen, fluorine, etc., provided that at least one of X and X' represents fluorine, chlorine, etc.; R1 and R2 represents each hydrogen or optionally substituted C1-6 alkyl, or R1 and R2 form together with the nitrogen atom adjacent thereto an optionally substituted nitrogen-containing heterocycle; Y and Q are the same or different and each represents a bond or a spacer having 1 to 6 atoms in the main chain; the dotted line represents a single or double bond; T1 and T2 represent each C(R9) (wherein R9 represents hydrogen, hydroxy, etc.), N, etc.; and Ar represents an optionally substituted aromatic group, hydrogen, etc.; a provision is given] are prepared In an in vitro test for inhibition of binding to the somatostatin receptor type 2, several compds. of this invention showed IC50 of 0.6 to 2 nM. Formulations are given.

IT 333952-79-7P 333952-81-1P 333952-82-2P
 333952-83-3P 333952-84-4P 333952-85-5P
 333952-86-6P 333952-90-2P 333952-91-3P
 333952-92-4P 333953-09-6P 333953-14-3P
 333953-17-6P 333953-18-7P 333953-20-1P
 333953-21-2P 333953-22-3P 333953-61-0P


333953-75-6P 333953-81-4P 333953-82-5P
 333953-83-6P 333953-84-7P 333953-86-9P
 333953-87-0P 333953-88-1P 333954-04-4P
 333954-07-7P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
 (preparation of indolylpropanoyltetrahydroquinoline derivs. which inhibit binding of somatostatin receptors)

RN 333952-79-7 HCAPLUS

CN 4-Piperidinecarboxamide, 1-(benzo[b]thien-2-ylcarbonyl)-N-[(1R)-2-[6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333952-81-1 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1R)-2-[6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-(1H-indol-2-ylcarbonyl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.




RN 333952-82-2 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1R)-2-[6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-(1H-indol-

3-ylcarbonyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333952-83-3 HCAPLUS

CN 4-Piperidinecarboxamide, 1-(2-benzofuranylcarbonyl)-N-[(1R)-2-[6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333952-84-4 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1R)-2-[6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-(2-thienylcarbonyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333952-85-5 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1R)-2-[6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-(3-thienylcarbonyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333952-86-6 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1R)-2-[6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-(3-pyridinylcarbonyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333952-90-2 HCAPLUS

CN 1-Piperidinecarboxamide, 4-(2,3-dihydro-2-oxo-1H-benzimidazol-1-yl)-N-[(1R)-2-[3-[(dimethylamino)methyl]-6-fluoro-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333952-91-3 HCAPLUS

CN 1-Piperidinecarboxamide, 4-(2,3-dihydro-3-methyl-2-oxo-1H-benzimidazol-1-yl)-N-[(1R)-2-[3-[(dimethylamino)methyl]-6-fluoro-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333952-92-4 HCAPLUS

CN 1-Piperidinecarboxamide, N-[(1R)-2-[5-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-4-(2,3-dihydro-2-oxo-1H-benzimidazol-1-yl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-09-6 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1R)-2-[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-[(tetrahydro-2H-pyran-4-yl)acetyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-14-3 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1R)-2-[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-(1H-indol-2-ylcarbonyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-17-6 HCAPLUS

CN 4-Piperidinecarboxamide, 1-[(5-acetyl-2-thienyl)carbonyl]-N-[(1R)-2-[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-18-7 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1R)-2-[(3R)-6-chloro-3-ylmethyl)-2-oxoethyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-[(1-methyl-1H-indol-2-yl)carbonyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-20-1 HCAPLUS

CN 4-Piperidinepropanamide, N-[(1R)-2-[(3R)-6-chloro-3-ylmethyl)-2-oxoethyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-(2-thienylcarbonyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-21-2 HCAPLUS

CN 4-Piperidinepropanamide, N-[(1R)-2-[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-(2-pyridinylcarbonyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-22-3 HCAPLUS

CN 4-Piperidinepropanamide, 1-(benzo[b]thien-2-ylcarbonyl)-N-[(1R)-2-[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-61-0 HCAPLUS

CN 4-Piperidinepropanamide, N-[(1R)-2-[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-(3-pyridinylmethyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-75-6 HCAPLUS

CN 1-Piperidinecarboxamide, N-[(1R)-2-[5-(acetylamino)-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-4-(2,3-dihydro-2-oxo-1H-benzimidazol-1-yl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-81-4 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1R)-2-[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-[(5-fluoro-1-methyl-1H-indol-2-yl)carbonyl]- (9CI)
(CA INDEX NAME)


Absolute stereochemistry.



RN 333953-82-5 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1R)-2-[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-[(2,3-dihydro-1H-inden-2-yl)carbonyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-83-6 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1R)-2-[(3R)-6-chloro-3-ylmethyl]-2-oxoethyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-(3-isoquinolinylylcarbonyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-84-7 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1R)-2-[(3R)-6-chloro-3-ylmethyl]-2-oxoethyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-(1H-indol-3-ylcarbonyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-86-9 HCAPLUS

CN 4-Piperidinecarboxamide, N-[(1R)-2-[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-1-[(1-methyl-1H-indol-3-yl)carbonyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-87-0 HCAPLUS

CN 1-Piperazinecarboxamide, N-[(1R)-2-[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-4-(1H-indol-2-ylcarbonyl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333953-88-1 HCAPLUS

CN 1-Piperazinecarboxamide, N-[(1R)-2-[(3R)-6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-4-[(1-methyl-1H-indol-2-yl)carbonyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333954-04-4 HCAPLUS

CN 1-Piperidinecarboxamide, N-[(1R)-2-[(3R)-6-chloro-3,4-dihydro-3-(1-pyrrolidinylmethyl)-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-4-(2,3-dihydro-2-oxo-1H-benzimidazol-1-yl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 333954-07-7 HCAPLUS

CN 1-Piperidinecarboxamide, N-[(1R)-2-[(3R)-6-chloro-3-
[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-
ylmethyl)-2-oxoethyl]-4-[(1-methyl-1H-indol-2-yl)carbonyl]- (9CI) (CA
INDEX NAME)

Absolute stereochemistry.




IT 333954-62-4P

RL: RCT (Reactant); SPN (Synthetic preparation); PREP (Preparation); RACT
(Reactant or reagent)
(preparation of indolylpropanoyltetrahydroquinoline derivs. which inhibit
binding of somatostatin receptors)

RN 333954-62-4 HCAPLUS

CN 1-Piperidinecarboxamide, N-[(1R)-2-[6-chloro-3-[(dimethylamino)methyl]-3,4-
dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-4-(2,3-
dihydro-3-methyl-2-oxo-1H-benzimidazol-1-yl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT: 14 THERE ARE 14 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

L35 ANSWER 3 OF 3 HCAPLUS COPYRIGHT 2004 ACS on STN

ACCESSION NUMBER: 1999:672759 HCAPLUS

DOCUMENT NUMBER: 131:286420

TITLE: Preparation of amine compounds as somatostatin receptor antagonists or agonists

INVENTOR(S): Suzuki, Nobuhiro; Kato, Kaneyoshi; Takekawa, Shiro; Terauchi, Jun; Endo, Satoshi

PATENT ASSIGNEE(S): Takeda Chemical Industries, Ltd., Japan

SOURCE: PCT Int. Appl., 257 pp.

CODEN: PIXXD2

DOCUMENT TYPE: Patent

LANGUAGE: English


FAMILY ACC. NUM. COUNT: 1

PATENT INFORMATION:

PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
WO 9952875	A1	19991021	WO 1999-JP1871	19990408
W: AE, AL, AM, AU, AZ, BA, BB, BG, BR, BY, CA, CN, CU, CZ, EE, GD, GE, HR, HU, ID, IL, IN, IS, JP, KG, KR, KZ, LC, LK, LR, LT, LV, MD, MG, MK, MN, MX, NO, NZ, PL, RO, RU, SG, SI, SK, SL, TJ, TM, TR, TT, UA, US, UZ, VN, YU, ZA, AM, AZ, BY, KG, KZ, MD, RU, TJ, TM				
RW: GH, GM, KE, LS, MW, SD, SL, SZ, UG, ZW, AT, BE, CH, CY, DE, DK, ES, FI, FR, GB, GR, IE, IT, LU, MC, NL, PT, SE, BF, BJ, CF, CG, CI, CM, GA, GN, GW, ML, MR, NE, SN, TD, TG				
CA 2327695	AA	19991021	CA 1999-2327695	19990408
AU 9952655	A1	19991101	AU 1999-52655	19990408
JP 2000226373	A2	20000815	JP 1999-100828	19990408
EP 1070054	A1	20010124	EP 1999-945683	19990408
R: AT, BE, CH, DE, DK, ES, FR, GB, GR, IT, LI, LU, NL, SE, MC, PT, IE, FI				
US 6329389	B1	20011211	US 1999-424285	19991119
PRIORITY APPLN. INFO.:			JP 1998-96422	A 19980408
			JP 1998-345328	A 19981204
			WO 1999-JP1871	W 19990408

OTHER SOURCE(S): MARPAT 131:286420

GI



AB The title compds. [I; Ar = (un)substituted aromatic; X = CH₂, S, SO, SO₂, CO; Y = a spacer having a main chain of 2-5 atoms; n = 1-5; R₁, R₂ = H, lower alkyl; NR₁R₂ = (un)substituted nitrogen-containing heterocyclic ring; R₁ or R₂ together with -(CH₂)_n-N= form, bonded to a component atom of Ring B, a spiro-ring which may be substituted; Ring A = (un)substituted aromatic; Ring B = (un)substituted 4-7 membered nitrogen-containing non-aromatic ring, with a proviso that X = S, SO, SO₂, CO when Ring A has as a substituent a group -NHCOR₁₁ (wherein R₁₁ = alkyl, alkoxyalkyl, alkylthioalkyl, etc.) or a group NHR₁₂ (R₁₂ = alkyl, cycloalkyl, cycloalkylalkyl, etc.)] or their salts which have an excellent somatostatin receptor binding inhibition action and are useful for preventing or treating glaucoma, acromegaly, diabetes, diabetic complications or tumor, and as analgesics, were prepared Thus, treatment of 1-[2-(R)-amino-3-(indol-3-yl)propanoyl]-3-(R,S)-(N,N-dimethylamino)methyl-1,2,3,4-tetrahydroquinoline (preparation described) with N,N'-disuccinimidyl carbonate and N-ethyldiisopropylamine in THF followed by the addition of solution of 1-phenylpiperazine and N-ethyldiisopropylamine

in

THF afforded II which showed IC₅₀ of 0.009 μM and 0.0008 μM against SSTR2 and SSTR3 binding, resp.


IT 246866-13-7P 246866-20-6P 246866-21-7P
246866-56-8P 246866-57-9P 246866-62-6P
246866-63-7P 246866-71-7P 246866-73-9P
246866-76-2P 246866-91-1P

RL: BAC (Biological activity or effector, except adverse); BSU (Biological study, unclassified); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)
(preparation of amine compds. as somatostatin receptor antagonists or agonists)

RN 246866-13-7 HCAPLUS

CN 1-Piperidinecarboxamide, 4-(2,3-dihydro-2-oxo-1H-benzimidazol-1-yl)-N-[(1R)-2-[3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-yl)methyl]-2-oxoethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 246866-20-6 HCAPLUS

CN 1-Piperazinecarboxamide, N-[(1R)-2-[3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-4-(2-pyridinyl)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 246866-21-7 HCAPLUS

CN 1-Piperazinecarboxamide, N-[(1R)-2-[3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-4-(2-pyrimidinyl)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 246866-56-8 HCAPLUS

CN 1-Piperidinecarboxamide, 4-(2,3-dihydro-2-oxo-1H-benzimidazol-1-yl)-N-[(1R)-2-[(3S)-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 246866-57-9 HCAPLUS

CN 1-Piperidinecarboxamide, 4-(2,3-dihydro-2-oxo-1H-benzimidazol-1-yl)-N-[(1R)-2-[(3R)-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry. Rotation (-).



RN 246866-62-6 HCAPLUS

CN 1-Piperidinecarboxamide, 4-(1H-benzotriazol-1-yl)-N-[(1R)-2-[3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 246866-63-7 HCAPLUS

CN 1-Piperidinecarboxamide, N-[(1R)-2-[3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-4-[5-(trifluoromethyl)-1H-benzotriazol-1-yl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 246866-71-7 HCAPLUS

CN 1-Piperazinecarboxamide, N-[(1R)-2-[3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-4-(1-naphthalenyl)-(9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 246866-73-9 HCAPLUS

CN 1-Piperidinecarboxamide, 4-(2,3-dihydro-2-oxo-1H-benzimidazol-1-yl)-N-[(1R)-2-[3-[(dimethylamino)methyl]-3,4-dihydro-6-methoxy-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 246866-76-2 HCAPLUS

CN 1-Piperidinecarboxamide, N-[(1R)-2-[6-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-4-(2,3-dihydro-2-oxo-1H-benzimidazol-1-yl)- (9CI) (CA INDEX NAME)


Absolute stereochemistry.



RN 246866-91-1 HCAPLUS

CN 1-Piperidinecarboxamide, N-[(1R)-2-[7-chloro-3-[(dimethylamino)methyl]-3,4-dihydro-1(2H)-quinolinyl]-1-(1H-indol-3-ylmethyl)-2-oxoethyl]-4-(2,3-dihydro-2-oxo-1H-benzimidazol-1-yl)- (9CI) (CA INDEX NAME)

Absolute stereochemistry.



REFERENCE COUNT: 4 THERE ARE 4 CITED REFERENCES AVAILABLE FOR THIS RECORD. ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> b home
FILE 'HOME' ENTERED AT 13:06:36 ON 16 AUG 2004

=> log h		
COST IN U.S. DOLLARS	SINCE FILE	TOTAL
	ENTRY	SESSION
FULL ESTIMATED COST	0.21	524.30
DISCOUNT AMOUNTS (FOR QUALIFYING ACCOUNTS)	SINCE FILE	TOTAL
	ENTRY	SESSION
CA SUBSCRIBER PRICE	0.00	-2.21

SESSION WILL BE HELD FOR 60 MINUTES
STN INTERNATIONAL SESSION SUSPENDED AT 13:06:42 ON 16 AUG 2004